

USEA
United States Energy Association

Briefing – November 30, 2016

Janet Gellici, CEO
National Coal Council

National Coal Council

Celebrating 32 years ~ 1984|2016

The National Coal Council provides advice and recommendations to the Secretary of Energy on general policy matters relating to coal and the coal industry.

NCC is a Federal Advisory Committee organized under FACA legislation

National Coal Council

Members

Appointed to serve
by Secretary of Energy
125-150 members

Reports

~ 35 reports prepared by NCC members at no cost to DOE

- **Industry –**
  coal suppliers, utility & industrial consumers & coal transportation
- **Support Services –**
  engineering firms, vendors, consultants & attorneys
- **Academics**
- **NGOs –**
  environmental & trade association reps
- **Government –**
  PUC & state energy officials

Extensive Range of Topics

Carbon Management
Clean Coal Technologies
Coal & Coal Technology Exports
Coal Conversion
Utility Deregulation
Climate & Clean Air Regulations
Building New Coal Power Plants
Industrial Coal Use
CCUS for EOR
Value of Existing Coal Fleet
Fossil Forward: CCS Technologies
Policy Parity for CCS
CO_2 Building Blocks: CO_2 Utilization

NATIONAL COAL COUNCIL

FOSSIL FORWARD

Revitalizing CCS
Bringing Scale and Speed to CCS Deployment

NCC Report - January 2015

NATIONAL COAL COUNCIL

LEVELING THE PLAYING FIELD

Policy Parity for Carbon Capture and Storage Technologies

NCC White Paper – November 2015

NATIONAL COAL COUNCIL

CO_2 BUILDING BLOCKS

ASSESSING CO_2 UTILIZATION OPTIONS



NCC White Paper – August 2016

Request from Secretary Moniz

- Develop an expanded white paper assessing opportunities to advance commercial markets for carbon dioxide (CO_2) from coal-based power generation.
- Focus on profit-generating opportunities for CO_2 utilization, both for Enhanced Oil Recovery (EOR) and for non-EOR applications.
- Address the following questions:
  - What is the extent to which commercial EOR and non-EOR CO_2 markets could incentivize deployment of CCS/CCUS technologies?
  - What economic opportunity does deployment of commercial-scale CCS/CCUS technology represent for the U.S.?



Report Leadership

- NCC Chair – Mike Durham, Soap Creek Energy
- NCC Coal Policy Committee Chair – Deck Slone, Arch Coal
- NCC Report Chair – Kipp Coddington

  School of Energy Resources, University of Wyoming
- Report Chapter Leads
  - Kipp Coddington, School of Energy Resources, Univ. of Wyoming
  - Janet Gellici, National Coal Council
  - Sarah Wade, Wade LLC
  - Robert Hilton, Consultant
- Report Contributors +++

NATIONAL COALCOUNCIL

Report & Presentation Overview

- Factors Driving Demand for CO_2 Utilization
- Status of CO_2 Utilization Technologies
- Evaluation of CO_2 Utilization Technologies
- Opportunities to Incentivize CCUS Deployment

NATIONAL COAL COUNCIL

The Value of Coal



Source: BP Energy Outlook 2016



Source: International Energy Agency 2013

NATIONAL COAL COUNCIL



CO_2 Utilization Imperative Legislative Drivers

- **Fossil fuels are dependent upon CCUS technologies to comply with U.S. GHG emission reduction requirements.**
  - PSD/Title V Permitting
  - GHG Performance Standards for New Coal Power
  - Clean Power Plan
  - International GHG Mitigation Goals

NATIONAL COAL COUNCIL

CO2 Building Blocks

Assessing CO_2 Utilization Options

RECOMMENDATIONS

Build on the expanding consensus in support of CCUS deployment.

An expanded coalition of fossil fuel users and producers should collaborate to help develop and commercially deploy CCUS technologies on an accelerated time schedule.

Key Findings

- **Fossil fuels – including coal, natural gas and oil – will remain the dominant global energy source well into the future by virtue of their abundance, supply security and affordability.**

- **There is a growing consensus among industry, the environmental community and governments that future CO_2 emission reduction goals cannot be met by renewable energy sources alone and that CCUS technologies for all fossil fuels will have to be deployed to achieve climate objectives in the U.S. and globally and to ensure a reliable power grid.**

- **CCUS is not exclusively a "clean coal" strategy and will ultimately need to be adopted for all fossil fuels in the power and industrial sectors.**

CO_2 Utilization Markets

Source: National Energy Technology Lab, DOE

CO_2 Markets – Geologic CO_2-EOR/ROZ

Technically Recoverable Domestic Oil and CO_2 Storage Capacity, State of Art and "Next Generation" CO_2-EOR Technology

Basin/Area	Technically Recoverable Oil (Billion Barrels)		Technical CO2 Demand/Storage (Million Metric Tons)	
	SOA	"Next Generation"	SOA	"Next Generation"
1. Main Pay Zone CO2-EOR				
Lower-48 Onshore	55.6	105.5	22,270	33,050
Alaska	5.8	8.8	3,320	4,110
Offshore GOM	23.5	52.9	12,640	15,060
Sub-Total	**84.9**	**167.2**	**38,230**	**52,220**
2. Residual Oil Zone CO2-EOR				
ROZ Fairways*	n/a	25.7	n/a	17,100
Below Oil Fields	n/a	16.3	n/a	8,200
Sub-Total	**n/a**	**42.0**	**n/a**	**25,300**
Total	**84.9**	**209.2**	**38,230**	**77,520**

*Four County Permian Basin San Andres ROZ fairway.

JAF2016_036.xls

NATIONAL COAL COUNCIL



CO_2 Markets – Geologic CO_2-EOR/ROZ

	Recipients of CO_2-EOR Revenues*	Revenues
•	CO_2 Capture and Transporters	$1,210 billion
•	State, Local and Federal Treasuries	$1,130 billion
•	CO_2-EOR Investors (including Return on Capital)	$1,270 billion
•	General Economy/Mineral Owners	$2,060 billion
	Total	$5,670 billion

*Assuming an oil price of $70/B.

http://www.catf.us/resources/factsheets/files/CO2_EOR_Life_Cycle_Analysis.pdf

The Emission Reduction Benefits of CCUS using CO_2-Enhanced Oil Recovery

NATIONAL COAL COUNCIL

CLEAN AIR TASK FORCE

CO_2 Markets – Geologic – Shale & ECBM

U.S. Regions with Potential to Produce Oil and Gas from Shales and Other Unconventionally Tight Rock Formations



Source: Energy Information Administration based on data from various published studies.
Updated: May 9, 2011

Enhanced Coal Bed Methane
Schematic of the Flow Dynamics of CO_2 and CH_4 in Coal Seams



NATIONAL COAL COUNCIL

CO_2 Markets – Geologic
Enhanced Water Recovery & Geothermal Storage

Staged pre-injection brine production



Multi-fluid Geo-energy System with Four Rings of Horizontal Injection and Production Wells



Source: Buscheck et al. 2016a

CO_2 Markets – Non-Geologic

Two Pathways to
CO_2 Non-Geologic Utilization

- Cleaving - Breaking down the CO_2 molecule by cleaving C=O bond(s)
- Intact/Fixed – Incorporating the entire CO_2 molecule into other chemical structures



NATIONAL COAL COUNCIL



CO_2 Markets – Non-Geologic Inorganic Carbonates & Bicarbonates



- Inorganic Carbonates & Bicarbonates
  - Carbon Products – carbon black, activated carbons, nanofilters, graphene
  - Cement & Aggregate Products
  - Buffers & Other Chemical Products – baking soda, potassium bicarbonate



NATIONAL COAL COUNCIL

CO_2 Markets – Non-Geologic Plastics & Polymers

- Plastics & Polymers
  - Functional Polymers
  - Synthesized Polymers

ASAHI KASEI PLASTICS
Advanced Material Solutions

BAYER

BASF
The Chemical Company

NATIONAL COAL COUNCIL

RWE
The energy to lead

CO_2 Markets – Non-Geologic Organic & Specialty Chemicals

- Organic & Specialty Chemicals
  - Urea
  - Ethylene & Propylene
  - DMC – Dimethylcarbonate Synthesis
  - Acrylic Acid
  - Solvents – compressed CO_2 cylinders, liquid CO_2, dry ice

Conceptual system for CO_2-based sustainable chemicals and fuels



Source: Satthawong et al. 2013

CO_2 Markets – Non-Geologic Agricultural Fertilizers

Estimated Crop Yield Increase with Carbon Addition in Fertilizers

Type of Crop	Estimated Increase in Yield With Carbon Addition
Wheat	3%
Corn	8%
Soy Beans	8%
Potatoes	11%
Almonds	12%
Alfalfa	12%
Sweet Corn	20%
Tomatoes	25%
Grapes	30%
Apples	32%

Source: FB Sciences, Inc. 2015

NATIONAL COAL COUNCIL

CO_2 Markets – Non-Geologic

- Food & Beverage = 50% of CO2 used globally for commercial applications



NATIONAL COAL COUNCIL

CO_2 Markets – Non-Geologic - Fuels

- Fuels
  - Methanol
  - Hydrocarbon Fuels
  - Biological Processes – algae/microrganisms

Order of Magnitude Estimates for the Worldwide Capacity of CO_2 Utilization

Option of CO_2 Utilization	Worldwide Capacity (Order of Magnitude in Giga Ton Carbon)
Non-chemical Utilization	0.01 – 0.1 GtC per year
Chemicals & Materials	0.1 – 1 GtC per year
Synthetic Liquid Fuels	1 – 10 GtC per year

Source: Song, 2002

NATIONAL COAL COUNCIL

CO2 Building Blocks

Assessing CO_2 Utilization Options

RECOMMENDATIONS

- Policymakers should continue to focus on advancing geological storage options through support for RD&D and adoption of incentives.
- As part of Mission Innovation, DOE should reinvigorate its RD&D program on advanced ("next generation") CO_2-EOR technologies.
- DOE should sponsor a full evaluation of the technically recoverable and economically viable domestic ROZ resource to more completely understand the market for CO_2 from EOR.

Key Findings

- **Geological CO_2 utilization options have the greatest potential to advance CCUS by creating market demand for anthropogenic CO_2. Non-geological CO_2 utilization options are unlikely to significantly incentivize CCUS in the near- to intermediate-term because of technical, GHG LCA considerations, challenges regarding scalability and related reasons.**
- **CO_2-EOR – including production and storage activities in residual oil zones (ROZ) – remains the CO_2 utilization technology with the greatest potential to incentivize CCUS.**

CO2 Building Blocks

Assessing CO_2 Utilization Options

RECOMMENDATIONS

- Additional technical and economic research should be directed towards the following non-geologic utilization products and pathways: (1) inorganic carbonates and bicarbonates; (2) plastics and polymers; (3) organic and specialty chemicals; and (4) agricultural fertilizers.

- GHG LCA of all CO_2 utilization options should be undertaken.

Key Findings

- **Some non-geologic utilization opportunities are promising incentives for CCUS in that they tend to "fix" CO2 so have the advantage of potentially serving as preferred carbon management solutions. These include (1) inorganic carbonates and bicarbonates; (2) plastics and polymers; (3) organic and specialty chemicals; and (4) agricultural fertilizers.**

- **CO_2 may also be utilized through chemical and biological processes to produce transportation fuels, which is a very large market. This pathway is unlikely to incentivize CCUS in the immediate future because 1) these fuels are ultimately combusted and thus release CO_2 to the atmosphere and 2) current U.S. policy favors geologic-based utilization pathways for CAA compliance. And while the case could be made that some CO_2-derived transportation fuels have lower GHG emissions than fossil-based fuels on a GHG LCA basis, non-fossil-based transportation fuels still face significant market competition and displacement hurdles.**



CO_2 Utilization Evaluation Criteria

- Global CCS Institute Report (2011)
  - Global demand for CO_2 ~ 80 million tons/year
  - Potential future demand ~ 300 million tons/year
  - CO_2-EOR one of several technologies showing large potential growth
- IEA CO_2-EOR Study (2015)
  - CO_2-EOR could lead to storage of 60,000 MTPY of CO_2
  - CO_2-EOR+ advanced technologies could increase to 240,000-360,000 MTPY
- Evaluation criteria can be used to prioritize R&D and commercial investment in CO_2 utilization technologies

NATIONAL COAL COUNCIL

CO2 Building Blocks

Assessing CO_2 Utilization Options

RECOMMENDATIONS

Evaluation criteria should be used to gather info about and compare CO_2 utilization technologies.

A technology ranking system can be used to prioritize candidates for RD&D and product investment.

Key Findings

- **Evaluation criteria fall into three broad categories:**
  1) **environmental considerations**
  2) **technology/product status**
  3) **market considerations**

- **Benefits of applying evaluation criteria include:**
  1) **making relative comparisons among technologies**
  2) **identifying priority technology candidates**
  3) **creating a more comprehensive ranking of the suite of CO_2 utilization technologies**
  4) **enabling revisions to technological assessments as market conditions change**



CO_2 Markets as Incentives for CCUS

- Monetary, regulatory and policy investments in the following CO_2 utilization and storage technologies, in descending order, are most likely to incentivize the deployment of CCUS technologies:
  - Current CO_2–EOR Technology
  - State-of-the-Art CO_2–EOR Technologies
  - Other geologic storage technologies that provide economic return
  - Saline Storage
  - Non-geologic storage technologies that provide economic return and that are as effective as geologic storage
  - Non-geologic storage technologies that provide economic return yet are not as effective as geologic storage if appropriate EPA research waivers may be obtained

NATIONAL COAL COUNCIL



CO_2 Markets as Incentives for CCUS

- U.S. law recognizes CO_2–EOR and other geologic storage technologies for compliance purposes.
- Non-geologic storage technologies may be used only if EPA determines they are as effective as geologic storage.
- U.S. climate goals and non-binding international climate goals require CCUS technology deployment at scale in the near future.

NATIONAL COAL COUNCIL



CO_2 Markets as Incentives for CCUS

- CO2 utilization in non-geologic contexts face the following hurdles:
  - Cost of capture
  - Insufficient scope of market/supply
  - Nearly all non-geologic CO2 utilization technologies are not yet commercialized
  - Geographic/infrastructure considerations
  - Legal and regulatory considerations

NATIONAL COAL COUNCIL

CCUS – Building a Climate Change Solution

Source: Global CCS Institute



NATIONAL COAL COUNCIL

CO2 Building Blocks

Assessing CO_2 Utilization Options

Summary Primary Recommendations

- Geological CO_2 utilization options have the greatest potential to advance CCUS by creating market demand for anthropogenic CO_2. Policymakers should continue to focus on advancing geological storage options through support for RD&D and adoption of incentives. As part of Mission Innovation, DOE should reinvigorate its RD&D program on advanced ("next generation") CO_2-EOR technologies.
- Non-geological CO_2 utilization options are unlikely to significantly incentivize CCUS in the near- to intermediate-term because of technical, GHG LCA considerations, lack of scalability and related reasons. Those technologies that can "fix" CO2 molecules intact, akin to geologic storage, hold the most promise and are worthy of continuing evaluation, including inorganic carbonates/bicarbonates, plastics/polymers, organic/specialty chemicals and agricultural fertilizers.
- There is a benefit to establishing a technology review process that is as objective as possible to assess the benefits and challenges of different CO2 utilization technologies and products. Technologies should be evaluated on the basis of: 1) environmental considerations, 2) technology/product status and 3) market considerations.

CO2 Building Blocks

Assessing CO_2 Utilization Options

Summary Primary Recommendations

- U.S. law recognizes CO_2-EOR and other geologic storage technologies as compliance options; non-geologic technologies may be used only if EPA determines they are as effective as geologic storage. Aligning CO_2 production and utilization markets may require relaxing terms of compliance for CO_2 emitting utilities and industrial facilities, as well as providing for establishment of an inventory of unused CO_2 in geologic storage. Appropriate policy and regulatory relief for higher-risk CCUS projects may also incentivize investment from the venture capital community.
- U.S. and international GHG reduction objectives and timeframes dictate the need to employ CO_2 utilization technologies that can be quickly commercialized at significant scale. Monetary, regulatory and policy investments in CO_2 utilization technologies should be roughly prioritized from geologic to non-geologic, with exceptions made for any non-geologic technologies that are found to be as effective as geologic storage. To identify the most expeditious and impactful technology options, NCC suggests applying a reasonable market potential threshold of 35 MTPY, which is roughly equivalent to the annual CO_2 emissions from about 6 GWe or a dozen 500 MWe coal-based power plants.



Questions?

NATIONAL COAL COUNCIL





NATIONAL COAL COUNCIL

Janet Gellici, CEO
jgellici@NCC1.org
www.nationalcoalcouncil.org